



POWER line



ARMOR line



ALING OG




 ALING-CONEL

PRIKLJUČNI PRIBOR CONNECTING ACCESSORIES

- Usaglašeno sa IEC 60884-1,
- Mogućnost ugradnje kabla prečnika do 11 mm

- Complied with IEC 60884-1,
- The possibility of installing cable up to 11 mm

INSTALACIONI PRIBOR INSTALLATION ACCESSORIES



301.13
Utikač dvopolni sa kontaktom za uzemljenje 16A/250V~
Double-pole plug with earthing contact 16A 250V~




302.13
Utikač dvopolni bez kontakta za uzemljenje 2,5A/250V~
EURO
Double-pole plug without earthing contact 2,5A 250V~

- Plosonati kabl do 2 x 0,75 mm²
- Flat cable up to 2 x 0,75 mm




303.13
Utikač trolpolni sa kontaktom za uzemljenje L-izvedbe 16A/440V~
Tripolar plug with earthing contact L-type 16A 440V~

- Kabl prečnika do 13 mm
- Izrada od materijala otpornog na udar
- Cable up to 13 mm
- Made from stroke resistant material



9202.11
Kutija razvodna za na zid izrađena od ABS g/w 650°C 100x100x50 **IP56 500V**
Wall mounted junction box made from ABS g/w 650°C 100x100x50 IP56 500V

9212.11
izrađena od polikarbonata g/w 850°C made from polycarbonate g/w 850°C




9203.11
Kutija razvodna za na zid izrađena od ABS g/w 650°C 150x110x70 **IP56 500V**
Wall mounted junction box made from ABS g/w 650°C 150x110x70 IP56 500V

9213.11
izrađena od polikarbonata g/w 850°C made from polycarbonate g/w 850°C


- Usaglašeno sa IEC 60670-1,
- Ugradnja na zid pomoću 4 vijaka prečnika do 05 mm
- Complied with IEC 60670-1,
- Wall mounting by 4 screws dia. to 5 mm



307.13
Utikač dvopolni sa kontaktom za uzemljenje 16A/250V~
Double-pole plug with earthing contact 16A 250V~



320.T
• Transparentan
• Transparent




320.13
• Crni
• Black

320.0
Utikač dvopolni kombinovan sa 3 priključnice sa kontaktom za uzemljenje (T-razvodnik) 16A 250V~
Double-pole plug combined with 3 sockets with earthing contact (T-adaptor) 16A 250V~

- Max opterećenje 3600W
- Max load 3600W



92021.11
Kutija razvodna za na zid sa 8 uvodnica Ø20 izrađena od ABS g/w 650°C 100x100x50 **IP56 500V**
Wall mounted junction box with 8 cable glands Ø20 made from ABS g/w 650°C 100x100x50 IP56 500V



92031.11
Kutija razvodna za na zid sa 10 uvodnica Ø20 izrađena od ABS g/w 650°C 150x110x70 **IP56 500V**
Wall mounted junction box with 10 cable glands Ø20 made from ABS g/w 650°C 150x110x70 IP56 500V

- Usaglašeno sa IEC 60670-1,
- Ugradnja na zid pomoću 4 vijaka prečnika do 05 mm
- Uvodnice za kablove Ø20 mm
- Complied with IEC 60670-1,
- Wall mounting by 4 screws dia. to 5 mm
- Cable bushings to Ø20 mm



308.13
Utikač dvopolni sa kontaktom za uzemljenje L-izvedbe 16A/250V~
Double-pole plug with earthing contact L-type 16A 250V~



4064.0
Set pribora za produžni kabl (406, prsten za vezivanje, 304) 16A 250V~ **CONEL**
Cord extension set (406, connecting ring, 304) 16A 250V~ CONEL

- Prsten za vezivanje koji onemogućuje izvlačenje utikača
- Connecting ring for plug extraction disable



9212.1T
Kutija razvodna za na zid sa transparentnim poklopcem izrađena od polikarbonata g/w 850°C 100x100x50 **IP56 500V**
Wall mounted junction box with transparent cover made from polycarbonate g/w 850°C 100x100x50 IP56 500V



9213.1T
Kutija razvodna za na zid sa transparentnim poklopcem izrađena od polikarbonata g/w 850°C 150x110x70 **IP56 500V**
Wall mounted junction box with transparent cover made from polycarbonate g/w 850°C 150x110x70 IP56 500V

- Usaglašeno sa IEC 60670-1,
- Ugradnja na zid pomoću 4 vijaka prečnika do 05 mm
- Complied with IEC 60670-1,
- Wall mounting by 4 screws dia. to 5 mm



305.13
Utikač dvopolni masivni sa kontaktom za uzemljenje 16A/250V~ **MEDIUM**
Double-pole massive plug with earthing contact 16A 250V~ MEDIUM

- Izrada od materijala otpornog na nagnječenja,
- Made from contusion resistant material




4065.0
Set pribora za produžni kabl (406, prsten za vezivanje, 305) 16A 250V~ **MEDIUM**
Cord extension set (406, connecting ring, 305) 16A 250V~ MEDIUM

- Prsten za vezivanje koji onemogućuje izvlačenje utikača
- Connecting ring for plug extraction disable



9204.11
Kutija razvodna za na zid izrađena od ABS g/w 650°C 150x110x120 **IP44 500V**
Wall mounted junction box made from ABS g/w 650°C 150x110x120 IP44 500V

- Usaglašeno sa IEC 60670-1,
- Ugradnja na zid pomoću 4 vijaka prečnika do 05 mm
- Complied with IEC 60670-1,
- Wall mounting by 4 screws dia. to 5 mm



9201.11
Kutija razvodna za na zid sa 4 uvoda izrađena od ABS g/w 650°C Ø65 **IP44 500V**
Wall mounted junction box with 4 cable glands made from ABS g/w 650°C Ø65 IP44 500V

9211.11
izrađena od polikarbonata g/w 850°C made from polycarbonate g/w 850°C

- Usaglašeno sa IEC 60670-1,
- Ugradnja na zid pomoću 2 vijaka prečnika do 05 mm
- Uvodnice za kablove Ø20 mm
- Complied with IEC 60670-1,
- Wall mounting by 2 screws dia. to 5 mm
- Cable bushings to Ø20 mm




306.13
Utikač dvopolni masivni sa kontaktom za uzemljenje 16A/250V~ **STANDARD**
Double-pole massive plug with earthing contact 16A 250V~ STANDARD

- Izrada od materijala otpornog na nagnječenja,
- Made from contusion resistant material




4066.0
Set pribora za produžni kabl (406, prsten za vezivanje, 306) 16A 250V~ **STANDARD**
Cord extension set (406, connecting ring, 306) 16A 250V~ STANDARD

- Prsten za vezivanje koji onemogućuje izvlačenje utikača
- Connecting ring for plug extraction disable




901
Adapter za ugradnju na zid 80x80
Adaptor for wall mounting 80x80

- Ugradnja na zid pomoću vijaka,
- Veza sa razvodnim kanalima,
- Mogućnost instalacije pomoću vijaka
- Wall mounted by screws,
- Cable ducts connection,
- Accessory installation by screws



931.0
Uvodnica kablovska PVC za kablove do Ø20 mm
Cable gland PVC for cables up to Ø20 mm

931.1
• Ugradnja u otvor Ø23 mm
• Mounting into the hole Ø23 mm



933.0
Uvodnica kablovska PVC za kablove do Ø14 mm
Cable gland PVC for cables up to Ø14 mm

933.1
• Ugradnja u otvor Ø20,5 mm
• Mounting into the hole Ø20,5 mm



932.0
Otvorena
Open

932.1



304.13
• Gumena navlaka
• Rubber cover
Utikač dvopolni masivni sa kontaktom za uzemljenje 16A/250V~ **CONEL**
Double-pole massive plug with earthing contact 16A 250V~ CONEL

- Izrada od materijala otpornog na nagnječenja
- Made from contusion resistant material



304.0
Utikač dvopolni masivni sa kontaktom za uzemljenje 16A/250V~ **CONEL**
Double-pole massive plug with earthing contact 16A 250V~ CONEL

- Izrada od materijala otpornog na nagnječenja
- Made from contusion resistant material



406.0
Priključnica prenosna dvopolna sa kontaktom za uzemljenje kuplung 16A/250V~
Double-pole portable socket outlet with earthing contact 16A 250V~

- Izrada od materijala otpornog na nagnječenja
- Made from contusion resistant material



700
Kutija montažna Ø60x40 nizajuća za rastojanje 71mm
Mounting box Ø60x40 for sequencing with 71mm step

- Usaglašeno sa IEC 60670-1,
- Ugradnja u zid,
- Mogućnost instalacije pomoću stegača ili vijaka



800
Kutija montažna Ø60x40 nizajuća za rastojanje 80mm
Mounting box Ø60x40 for sequencing with 80mm step

- Complied with IEC 60670-1,
- Flush mounted,
- Accessory installation by clamps or screws




804
Kutija montažna Ø70 za trolpolne priključnice
Mounting box Ø70 for three pole sockets



216.0
Sklopka jednopolna preglbna međugajtanska 16AX 250V~
Single-pole intercord rocker switch 16AX 250V~

- Usaglašeno sa IEC 60669-1,
- Mogućnost ugradnje kabla prečnika do 7 mm
- Complied with IEC 60669-1,
- The possibility of installing cable up to 7 mm



231.0
Priključnica dvopolna **IP 54** 16A/250V~
Double-pole socket outlet IP 54 16A

- Ugradnja na panel pomoću vijaka
- Panel mounting by screws



900
Kutija razvodna 100x100 poklopac sa vijkom 500V
Junction box 100x100 with screw cover 500V


- Usaglašeno sa IEC 60670-1,
- Ugradnja u zid
- Complied with IEC 60670-1,
- Flush mounted



910.0
Zaštitna maska za zid 140x180
Wall protection cover 140x180

- Ugradnja ispod maske
- Under cover frame mounting

PP910.0
Pakovanje 5 kom.
Pack of 5 pcs.



910.T
• Transparentna
• Transparent

PP910.T
Pakovanje 5 kom.
Pack of 5 pcs.

TERMOPLASTIČNA SIJALIČNA GRLA THERMOPLASTIC LAMP HOLDERS

x = 0

Bela
White

x = A

Crna
Black

■ Temperaturna otpornost
Temperature resistance



11011.x ■ T180
11012.x ■ T210
Grlo E14 viseće
Lamp holder E14 hanging
• Navoj za nazuvicu M10x1
• Threaded M10x1



12011.x ■ T180
12012.x ■ T210
Grlo E27 viseće
Lamp holder E27 hanging
• Navoj za nazuvicu M10x1
• Threaded M10x1



11021.x ■ T180
11022.x ■ T210
Grlo E14 luster
Lamp holder E14 chandelier
• Navoj za nazuvicu M10x1
• Threaded M10x1



12021.x ■ T180
12022.x ■ T210
Grlo E27 luster
Lamp holder E27 chandelier
• Navoj za nazuvicu M10x1
• Threaded M10x1



11023.x ■ T180
11024.x ■ T210
Grlo E14 luster sa obodom
Lamp holder E14 chandelier with flange
• Navoj za nazuvicu M10x1
• Threaded M10x1



12023.x ■ T180
12024.x ■ T210
Grlo E27 luster sa obodom
Lamp holder E27 chandelier with flange
• Navoj za nazuvicu M10x1
• Threaded M10x1



11031.x ■ T180
11032.x ■ T210
Grlo E14 luster kratko
Lamp holder E14 chandelier short
• Navoj za nazuvicu M10x1
• Threaded M10x1



12031.x ■ T180
12032.x ■ T210
Grlo E27 luster kratko
Lamp holder E27 chandelier short
• Navoj za nazuvicu M10x1
• Threaded M10x1



11041.x ■ T180
11042.x ■ T210
Grlo E14 stojeće za vijak
Lamp holder E14 standing for screw
• Za vezu sa vijkom
• Connection with screw



12041.x ■ T180
12042.x ■ T210
Grlo E27 stojeće za vijak
Lamp holder E27 standing for screw
• Za vezu sa vijkom
• Connection with screw



11043.x ■ T180
11044.x ■ T210
Grlo E14 stojeće za utiskivanje
Lamp holder E14 standing for indentation
• Za vezu utiskivanjem
• Connection with indentation



12043.x ■ T180
12044.x ■ T210
Grlo E27 stojeće za utiskivanje
Lamp holder E27 standing for indentation
• Za vezu utiskivanjem
• Connection with indentation



12013.x ■ T180
12014.x ■ T210
Grlo E27 zidno - ravno
Lamp holder E27 for wall - flat
• Za vezu sa vijkom
• Connection with screw



12015.x ■ T180
12016.x ■ T210
Grlo E27 zidno - ravno
Lamp holder E27 for wall - flat
• Za vezu sa vijkom
• Connection with screw

KERAMIČKA SIJALIČNA GRLA / CERAMIC LAMP HOLDERS



1300
Grlo E27 stojeće
Lamp holder E27 standing
• sa metalnim nosačem
• with metal bracket



1330
Grlo E27 viseće
Lamp holder E27 hanging
• Navoj za nazuvicu M10x1
• Threaded M10x1